ELSEVIER

Brain Research 663 (1994) 357–359

BRAIN RESEARCH

Author Index

Achim, C.L., see Masliah, E. (663) 1
Aguilera, G., see Kiss, A. (663) 84
Akaike, A., Kaneko, S., Tamura, Y., Nakata, N., Shiomi, H., Ushikubi, F. and Narumiya, S.
Prostaglandin E_2 protects cultured cortical neurons against *N*-methyl-D-aspartate receptor-mediated glutamate cytotoxicity (663) 237
Altrup, U., see Haarmeier, Th. (663) 131
Anwar, M., see Ruggiero, D.A. (663) 107
Aou, S., see Oka, T. (663) 287

Bankiewicz, K.S., see Wang, J. (663) 199
Barker, J.E., see Clark, M.B. (663) 223
Barré, H., see Montaron, A. (663) 121
Becquet, D., see Manrique, C. (663) 93
Beitz, A.J., see Price Jr., R.H. (663) 317
Bergenheim, M., see Djupsjöbacka, M. (663) 293
Black, I.B., see Pincus, D.W. (663) 51
Bloom, M.L., see Clark, M.B. (663) 223

Canady, K.S., Olavarria, J.F. and Rubel, E.W.
Reduced retinal activity increases GFAP immunoreactivity in rat lateral geniculate nucleus (663) 206
Cansino, S., Williamson, S.J. and Karron, D.
Tonotopic organization of human auditory association cortex (663) 38
Ciriello, J., Schultz, C.G. and Roder, S.
Collateral axonal projections from ventrolateral medullary non-catecholaminergic neurons to central nucleus of the amygdala (663) 346
Clark, M.B., Ma, Y., Bloom, M.L., Barker, J.E., Zagon, I.S., Zimmer, W.E. and Goodman, S.R.
Brain α erythroid spectrin: identification, compartmentalization, and β spectrin associations (663) 223
Cornford, E.M., Hyman, S. and Landaw, E.M.
Developmental modulation of blood–brain-barrier glucose transport in the rabbit (663) 7
Cravo, S.L., see Ruggiero, D.A. (663) 107
Crews, D., see Rand, M.S. (663) 163
Crowley, W.R. and Kalra, S.P.
Neonatal exposure to estradiol prevents the expression of ovarian hormone-induced luteinizing hormone and prolactin surges in adulthood but not antecedent changes in neuropeptide Y or adrenergic transmitter activity: Implications for sexual differentiation of gonadotropin secretion (663) 257
Curtis, K.S., Sved, A.F., Verbalis, J.G. and Stricker, E.M.
Lithium chloride-induced anorexia, but not conditioned taste aversions, in rats with area postrema lesions (663) 30

De Giorgio, R., see Zittel, T.T. (663) 266
Di Carlo, R., see Muccioli, G. (663) 244
DiCicco-Bloom, E., see Pincus, D.W. (663) 51
Djupsjöbacka, M., Johansson, H. and Bergenheim, M.
Influences on the γ-muscle-spindle system from muscle afferents stimulated by increased intramuscular concentrations of arachidonic acid (663) 293

Faingold, C.L. and Riaz, A.
Increased responsiveness of pontine reticular formation neurons associated with audiogenic seizure susceptibility during ethanol withdrawal (663) 69
Faudon, M., see Manrique, C. (663) 93
Fenko, M.D., see Malik, M.N. (663) 341
Fernandes de Lima, V.M., Goldermann, M. and Hanke, W.R.L.
Calcium waves in gray matter are due to voltage-sensitive glial membrane channels (663) 77
Finberg, J.P.M., see Wang, J. (663) 199
Fleshner, M., see Sutton, L.C. (663) 19
Flood, J.F., Morley, J.E. and Roberts, E.
An amyloid β-protein fragment, Aβ[12–28], equipotently impairs post-training memory processing when injected into different limbic system structures (663) 271
François-Bellan, A.M., see Manrique, C. (663) 93
Friedman, J.E. and Haddad, G.G.
Anoxia induces an increase in intracellular sodium in rat central neurons in vitro (663) 329
Frizzell, L.M. and Harley, C.W.
The *N*-methyl-D-aspartate channel blocker ketamine does not attenuate, but enhances, locus coeruleus-induced potentiation in rat dentate gyrus (663) 173

Ge, N., see Masliah, E. (663) 1
Gescuk, B., Lang, S., Porrino, L.J. and Kornetsky, C.
The local cerebral metabolic effects of morphine in rats exposed to escapable footshock (663) 303
Golanov, E., see Ruggiero, D.A. (663) 107
Goldermann, M., see Fernandes de Lima, V.M. (663) 77
Gomez, R., see Ruggiero, D.A. (663) 107
Goodman, S.R., see Clark, M.B. (663) 223
Grøndahl, T.Ø., see Larsen, M. (663) 335

Haarmeier, Th., Altrup, U. and Speckmann, E.-J.
Attenuation of a voltage-dependent sodium current by GABA (identified neurons, buccal ganglia, *Helix pomatia*) (663) 131
Haddad, G.G., see Friedman, J.E. (663) 329
Hanke, W.R.L., see Fernandes de Lima, V.M. (663) 77
Harley, C.W., see Frizzell, L.M. (663) 173
Haugstad, T.S., see Larsen, M. (663) 335
Headley, P.M., see Thorn, S.A. (663) 352
Herrero, J.F., see Thorn, S.A. (663) 352
Hertz, L., see Peng, L. (663) 168
Héry, F., see Manrique, C. (663) 93
Héry, M., see Manrique, C. (663) 93
Hirai, K.-I., see Tong, X.-j. (663) 155
Holley, L.A., Wiley, R.G., Lappi, D.A. and Sarter, M.
Cortical cholinergic deafferentation following the intracortical infusion of 192 IgG-saporin: a quantitative histochemical study (663) 277
Hooks, M.S., Sorg, B.A. and Kalivas, P.W.
The relationship between MRNA levels and the locomotor response to novelty (663) 312
Hori, T., see Oka, T. (663) 287
Hyman, S., see Cornford, E.M. (663) 7

Inoue, O., see Onoe, H. (663) 191
Itoh, T., see Onoe, H. (663) 191

Iturriaga, R., Larraín, C. and Zapata, P.
Effects of dopaminergic blockade upon carotid chemosensory activity and its hypoxia-induced excitation (663) 145
Izumi, T., see Tong, X.-j. (663) 155

Jezova, D., see Kiss, A. (663) 84
Jia, H.-G., Rao, Z.-R. and Shi, J.-W.
An indirect projection from the nucleus of the solitary tract to the central nucleus of the amygdala via the parabrachial nucleus in the rat: a light and electron microscopic study (663) 181
Johansson, H., see Djupsjöbacka, M. (663) 293

Kalivas, P.W., see Hooks, M.S. (663) 312
Kalra, S.P., see Crowley, W.R. (663) 257
Kaneko, S., see Akaike, A. (663) 237
Kanje, M., see Remgård, P. (663) 326
Karron, D., see Cansino, S. (663) 38
Kawashima, R., Roland, P.E. and O'Sullivan, B.T.
Activity in the human primary motor cortex related to ipsilateral hand movements (663) 251
Kiss, A., Jezova, D. and Aguilera, G.
Activity of the hypothalamic pituitary adrenal axis and sympathoadrenal system during food and water deprivation in the rat (663) 84
Koerner, J.F., see Price Jr., R.H. (663) 317
Kornetsky, C., see Gescuk, B. (663) 303
Kreeger, J.S., Yukhananov, R.Yu. and Larson, A.A.
Increased *N*-methyl-D-aspartate (NMDA) activity in the mouse spinal cord following morphine does not mediate opioid withdrawal (663) 101

Landaw, E.M., see Cornford, E.M. (663) 7
Lang, S., see Gescuk, B. (663) 303
Langmoen, I.A., see Larsen, M. (663) 335
Lappi, D.A., see Holley, L.A. (663) 277
Larraín, C., see Iturriaga, R. (663) 145
Larsen, M., Grøndahl, T.Ø., Haugstad, T.S. and Langmoen, I.A.
The effect of the volatile anesthetic isoflurane on Ca^{2+}-dependent glutamate release from rat cerebral cortex (663) 335
Larson, A.A., see Kreeger, J.S. (663) 101
Lemos, J.R., see Wang, G. (663) 215
Lieberman, D., see Wang, J. (663) 199

Ma, Y., see Clark, M.B. (663) 223
Maier, S.F., see Sutton, L.C. (663) 19
Malik, M.N., Fenko, M.D., Sheikh, A.M., Wen, G.Y. and Wisniewski, H.M.
Immunocytochemical localization of the high molecular weight protease in brain (663) 341
Manrique, C., François-Bellan, A.M., Segu, L., Becquet, D., Héry, M., Faudon, M. and Héry, F.
Impairment of serotoninergic transmission is followed by adaptive changes in $5HT_{1B}$ binding sites in the rat suprachiasmatic nucleus (663) 93
Masliah, E., Ge, N., Achim, C.L. and Wiley, C.A.
Cytokine receptor alterations during HIV infection in the human central nervous system (663) 1
Mataga, N., see Onoe, H. (663) 191
Mazzeo, R., see Sutton, L.C. (663) 19
McClellan, A.D., McPherson, D. and O'Donovan, M.J.
Combined retrograde labeling and calcium imaging in spinal cord and brainstem neurons of the lamprey (663) 61
McPherson, D., see McClellan, A.D. (663) 61
Mizutani, Y., see Tong, X.-j. (663) 155
Montaron, A., Moyse, E. and Barré, H.
Radioautographic demonstration and localization of glucagon receptors in duck brain (663) 121
Mori, N., see Osonoe, K. (663) 338
Morley, J.E., see Flood, J.F. (663) 271
Moyse, E., see Montaron, A. (663) 121
Muccioli, G. and Di Carlo, R.
Modulation of prolactin receptors in the rat hypothalamus in response to changes in serum concentration of endogenous prolactin or to ovine prolactin administration (663) 244

Nakata, N., see Akaike, A. (663) 237
Narumiya, S., see Akaike, A. (663) 237

O'Donovan, M.J., see McClellan, A.D. (663) 61
Oka, T., Aou, S. and Hori, T.
Intracerebroventricular injection of prostaglandin E_2 induces thermal hyperalgesia in rats: the possible involvement of EP_3 receptors (663) 287
Olavarria, J.F., see Canady, K.S. (663) 206
Oldfield, E.H., see Wang, J. (663) 199
Onoe, H., Inoue, O., Suzuki, K., Tsukada, H., Itoh, T., Mataga, N. and Watanabe, Y.
Ketamine increases the striatal N-[^{11}C]methylspiperone binding in vivo: positron emission tomography study using conscious rhesus monkey (663) 191
Osonoe, K., Mori, N., Suzuki, K. and Osonoe, M.
Antiepileptic effects of inhibitors of nitric oxide synthase examined in pentylenetetrazol-induced seizures in rats (663) 338
Osonoe, M., see Osonoe, K. (663) 338
O'Sullivan, B.T., see Kawashima, R. (663) 251

Peng, L., Zhang, X. and Hertz, L.
High extracellular potassium concentrations stimulate oxidative metabolism in a glutamatergic neuronal culture and glycolysis in cultured astrocytes but have no stimulatory effect in a GABAergic neuronal culture (663) 168
Pincus, D.W., DiCicco-Bloom, E. and Black, I.B.
Trophic mechanisms regulate mitotic neuronal precursors: role of vasoactive intestinal peptide (VIP) (663) 51
Porrino, L.J., see Gescuk, B. (663) 303
Price Jr., R.H., Schulte, M.K., Renno, W.M., Koerner, J.F. and Beitz, A.J.
Immunocytochemical evidence that quisqualate is selectively internalized into a subset of hippocampal neurons (663) 317

Rand, M.S. and Crews, D.
The bisexual brain: sex behavior differences and sex differences in parthenogenetic and sexual lizards (663) 163
Rao, Z.-R., see Jia, H.-G. (663) 181
Raybould, H.E., see Zittel, T.T. (663) 266
Reis, D.J., see Ruggiero, D.A. (663) 107
Remgård, P. and Kanje, M.
Release of slow axonally transported proteins from the rat vagus nerve in vitro (663) 326
Renno, W.M., see Price Jr., R.H. (663) 317
Riaz, A., see Faingold, C.L. (663) 69
Roberts, E., see Flood, J.F. (663) 271
Roder, S., see Ciriello, J. (663) 346
Roeltgen, D.P., see Schneider, J.S. (663) 140
Roland, P.E., see Kawashima, R. (663) 251
Rubel, E.W., see Canady, K.S. (663) 206
Ruggiero, D.A., Cravo, S.L., Golanov, E., Gomez, R., Anwar, M. and Reis, D.J.
Adrenergic and non-adrenergic spinal projections of a cardiovascular-active pressor area of medulla oblongata: quantitative topographic analysis (663) 107

Sarter, M., see Holley, L.A. (663) 277
Schneider, J.S., Sun, Z.-Q. and Roeltgen, D.P.
Effects of dihydrexidine, a full dopamine D-1 receptor agonist, on delayed response performance in chronic low dose MPTP-treated monkeys (663) 140
Schulte, M.K., see Price Jr., R.H. (663) 317
Schultz, C.G., see Ciriello, J. (663) 346
Segu, L., see Manrique, C. (663) 93
Sheikh, A.M., see Malik, M.N. (663) 341
Shi, J.-W., see Jia, H.-G. (663) 181
Shimada, H., see Tong, X.-j. (663) 155
Shiomi, H., see Akaike, A. (663) 237
Sorg, B.A., see Hooks, M.S. (663) 312
Speckmann, E.-J., see Haarmeier, Th. (663) 131
Sternini, C., see Zittel, T.T. (663) 266
Stricker, E.M., see Curtis, K.S. (663) 30
Sun, Z.-Q., see Schneider, J.S. (663) 140
Sutton, L.C., Fleshner, M., Mazzeo, R., Maier, S.F. and Watkins, L.R.
A permissive role of corticosterone in an opioid form of stress-induced analgesia: blockade of opiate analgesia is not due to stress-induced hormone release (663) 19
Suzuki, K., see Onoe, H. (663) 191
Suzuki, K., see Osonoe, K. (663) 338
Sved, A.F., see Curtis, K.S. (663) 30

Tabubo, H., see Wang, J. (663) 199
Tamura, Y., see Akaike, A. (663) 237
Thorn, S.A., Herrero, J.F. and Headley, P.M.
Stimulus intensity and the comparative efficacy of μ- and κ-opioid agonists on nociceptive spinal reflexes in the rat (663) 352
Toda, N., see Tong, X.-j. (663) 155
Tong, X.-j., Hirai, K.-I., Shimada, H., Mizutani, Y., Izumi, T., Toda, N. and Yu, P.
Sciatic nerve regeneration navigated by laminin-fibronectin double coated biodegradable collagen grafts in rats (663) 155
Tsukada, H., see Onoe, H. (663) 191

Ushikubi, F., see Akaike, A. (663) 237

Verbalis, J.G., see Curtis, K.S. (663) 30

Wang, G. and Lemos, J.R.
Effects of funnel web spider toxin on Ca^{2+} currents in neurohypophysial terminals (663) 215
Wang, J., Lieberman, D., Tabubo, H., Finberg, J.P.M., Oldfield, E.H. and Bankiewicz, K.S.
Effects of gliosis on dopamine metabolism in rat striatum (663) 199
Watanabe, Y., see Onoe, H. (663) 191
Watkins, L.R., see Sutton, L.C. (663) 19
Wen, G.Y., see Malik, M.N. (663) 341
Wiley, C.A., see Masliah, E. (663) 1
Wiley, R.G., see Holley, L.A. (663) 277
Williamson, S.J., see Cansino, S. (663) 38
Wisniewski, H.M., see Malik, M.N. (663) 341

Yu, P., see Tong, X.-j. (663) 155
Yukhananov, R.Yu., see Kreeger, J.S. (663) 101

Zagon, I.S., see Clark, M.B. (663) 223
Zapata, P., see Iturriaga, R. (663) 145
Zhang, X., see Peng, L. (663) 168
Zimmer, W.E., see Clark, M.B. (663) 223
Zittel, T.T., De Giorgio, R., Sternini, C. and Raybould, H.E.
Fos protein expression in the nucleus of the solitary tract in response to intestinal nutrients in awake rats (663) 266